

What is claimed is:

1. A liquid crystal display device comprising a liquid crystal display element, a light source, a substantially rectangular diffusion plate which is interposed between the liquid crystal display element and the light source, and at least one optical sheet which is arranged between the diffusion plate and the liquid crystal display element, wherein

the liquid crystal display device includes a transparent sheet which is arranged between the diffusion plate and the light source and has a contour which is substantially equal to a contour of the diffusion plate, and

at least one optical sheet is brought into contact with the diffusion plate and respective major portions or respective whole portions of four sides of the transparent sheet are adhered to the diffusion plate.

2. A liquid crystal display device according to claim 1, wherein the whole four sides of the transparent sheet are adhered to diffusion plate.

3. A liquid crystal display device according to claim 1 or 2, wherein the transparent sheet is adhered to the diffusion plate using a pressure sensitive adhesive double-sided tape or a tacky adhesive agent.

4. A liquid crystal display device according any one of claims 1 to 3, wherein at least one optical sheet is adhered

10055969-012802

BW
AT

to the diffusion plate.

5. A liquid crystal display device according any one of claims 1 to 3, wherein the liquid crystal display device includes a spacer which restricts a warp quantity of the diffusion plate in the direction toward the light source.

6. A liquid crystal display device according claim 5, wherein at least one optical sheet is adhered to the diffusion plate.

7. A liquid crystal display device comprising a liquid crystal display element, a light source, a substantially rectangular diffusion plate which is interposed between the liquid crystal display element and the light source, and at least one optical sheet which is arranged between the diffusion plate and the liquid crystal display element, wherein

the liquid crystal display device includes a transparent sheet which is arranged between the diffusion plate and the light source and has a contour which is substantially equal to a contour of the diffusion plate and a spacer which restricts a warp quantity of the diffusion plate in the direction toward the light source, and

at least one optical sheet is brought into contact with the diffusion plate and at least respective portions of four sides of the transparent sheet are adhered to the diffusion plate.

8. A liquid crystal display device according to claim 7,

10055969.012802

wherein the whole or major portions of four sides of the transparent sheet are adhered to diffusion plate.

SUB A1 →
9. A liquid crystal display device according to claim 7 or 8, wherein the transparent sheet is adhered to the diffusion plate using a pressure sensitive adhesive double-sided tape or a tacky adhesive agent.

10. A liquid crystal display device according any one of claims 7 to 9, wherein at least one optical sheet is adhered to the diffusion plate.

11. A liquid crystal display device comprising a liquid crystal display element, a light source, a substantially rectangular diffusion plate which is interposed between the liquid crystal display element and the light source, and at least one optical sheet which is arranged between the diffusion plate and the liquid crystal display element, wherein

the liquid crystal display device includes a transparent sheet which is arranged between the diffusion plate and the light source and has a contour which is substantially equal to a contour of the diffusion plate and a spacer which restricts a warp quantity of the diffusion plate in the direction toward the light source, and

at least one optical sheet is brought into contact with the diffusion plate and the whole surface of the transparent sheet is adhered to the diffusion plate.

10055969 "012802
208210" 69655001